

63.84
May 1 th. 1934**S. W. A.**

Succulents Nurseries

Succulenten - Kulturen

WILHELM TRIEBNER

P. O. Box 539 Windhoek, S. W. A. Phone 830

List of Seeds

Sämereien-Verzeichnis

LIBRARY
RECEIVED
★ SEP 10 1934 ★
U. S. Department of Agriculture

	S.	25	100	1000
AEONIUM:	Sh.			
Webbi		-/3	-/6	3/-
ADROMISCHUS:				
thirsiflora		-/6	1/-	5/-
ALOE:				
Borziana	1/-	3/-	20/-	
gariusana	1/-	3/-	25/-	
hereroensis	-/6	1/-	5/-	
Juttae	1/-	3/-	10/-	
lateritia	1/-	3/-	25/-	
longistyla	1/-	2/6	15/-	
macrocarpa	1/-	3/-	25/-	
mickbergensis	-/9	2/-	15/-	
percrassa	-/3	-/6	3/-	
rubra-lutea	-/3	-/6	3/-	
saponaria	-/3	-/6	2/6	
Schlechteri	1/-	3/-	20/-	
striata	-/3	-/6	3/-	
„ var. hybrida	-/3	-/9	5/-	
„ „ paniculata	-/3	-/9	5/-	
„ „ Hanburyana	-/3	-/9	4/-	
zebrina	-/3	-/6	4/-	
variegata	1/-	2/6	20/-	

	S.	25	100	1000
ANACAMPSEROS:	Sh.			
albissima		-/6	1/-	8/-
Alstonii		1/-	3/-	15/-
avasmontana		-/6	1/6	10/-
Baeseckei		-/6	1/6	12/-
„ var. crinita		-/9	2/-	15/-
Dielsiana		-/9	2/-	15/-
densifolia		-/6	1/-	6/-
Herreana		1/-	2/-	12/-
karasmontana		-/9	2/-	15/-
lanceolata		-/3	-/6	4/-
Margaretha		-/9	2/6	15/-
Meyeri		-/6	1/6	8/-
papyracea		-/3	1/-	5/-
parviflora		-/3	1/-	5/-
quinaria		-/3	1/-	6/-
rufescens		-/3	-/6	3/-
Ruschii		1/-	3/-	15/-
tomentosa		-/3	-/6	3/-
„ var. crinita		-/6	1/-	8/-
„ „ grandfl.		6/-	1/-	8/-
spec.		1/-	2/-	15/-
gemischt/mixed		-/3	-/6	3/-
BOWIEA:				
volubilis		-/9	1/6	10/-

	S.	25	100	1000		S.	25	100	1000
BULBINE:					DAEMIA:				
tetraphylla		-/3	-/9	5/-	gariepensis		1/-	3/-	
CARALLUMA:					ECHEVERIA:				
ausana		1/-	3/-	20/-	gibbiflora		-/3	-/6	3/-
Lugardi		-/3	-/9	8/-	„ grandis hybr.				
Nebrownii		-/3	-/9	5/-	metallica		-/6	-/9	5/-
Pseudo-Nebrownii		-/9	2/-	12/-	multicaulis		-/6	-/9	4/-
Wilfridi		1/-	3/-	25/-	valida		-/6	1/-	8/-
CISSUS:					EUPHORBIA:				
Bainesi		1/-	3/-		avasi-montana		2/6	8/-	45/-
Fleckii		3/-	10/-		argillicola		2/6	8/-	
Juttae		3/-	10/-		Bergeriana		3/-	10/-	
COTYLEDON:					brachiata		3/-	10/-	
ausana		-/3	-/6	2/-	bupleurifolia		2/-	6/-	
Dinteri		-/6	1/6	10/-	clandestina		2/-	6/-	
orbiculata		-/3	-/6	1/-	crassipes		3/-	10/-	
„ var. Engleri		-/3	-/9	1/6	Dinteri		5/-	15/-	
„ „ oophylla		-/6	1/-	3/-	fasciata		5/-	15/-	
Pearsonii		1/-	3/-	20/-	Flanaghani		2/6	8/-	
reticulata		1/-	3/-	15/-	Friedrichae		3/-	10/-	
ventricosa		-/6	1/6	12/-	gummifera		3/-	10/-	
CRASSULA:					gregaria		3/-	10/-	
aurosenensis		-/6	1/6	10/-	gorgonis		1/-	3/-	
Alstonii		-/6	1/-	8/-	Guerichiana		5/-	18/-	
alpestris		-/6	1/-	8/-	hottentottae		2/-	8/-	60/-
Archeri		-/6	1/-	8/-	horrida		10/-		
barbata		-/6	1/-	8/-	lignosa		4/-	12/-	
caulescens		-/6	1/-	5/-	Juttae		3/-	10/-	75/-
corallina		-/6	1/-	8/-	Marientalis		3/-	10/-	
columella		-/6	1/-	8/-	mauritanica		3/-	10/-	
columnaris		-/6	1/-	8/-	meloforme		1/-	3/-	
culturata		-/6	1/6	9/-	Monteiroi		1/-	3/-	20/-
decipiens		-/6	1/-	8/-	namibense		5/-	15/-	
falcata		-/3	-/6	2/-	obesa		2/6		
Hofmeyeriana		-/6	1/6	10/-	orabense		2/6	8/-	
„ spec. nova		-/6	1/6		pseudobrachiata		3/-	10/-	
montis Draconis		-/6	1/-	8/-	Rangeana		2/6	8/-	35/-
mesembrian-					Schaeferi		4/-	12/-	
themopsis		-/6	1/6	10/-	siliciicola		4/-	12/-	
rapacea		-/6	1/-	8/-	spartiaria		4/-	12/-	
rhomboidea		-/6	1/-	6/-	Triebneri		5/-	18/-	
spec. Menatzek		-/6	1/-		valida		2/6	8/-	
tomentosa		-/6	1/-		virosa		2/6	8/-	60/-
Triebneri		-/6	1/-	10/-	„ var. striata		3/-	10/-	75/-
					„ „ coerulea				
					lescens		5/-	15/-	
					venenata		5/-	15/-	

	S.	25	100	1000		S.	25	100	1000
GASTERIA:					PORTULACA:				
ascinacifolia		-/6	1/-		kermesina		-/3	-/6	1/-
carinata		-/6	1/-						
conspurcata		-/9	2/-		PTERODISCUS:				
deltoidea		-/9	2/-		aurantiacus		1/-	3/-	20/-
disticha		-/6	1/-		lurius		1/-	3/-	20/-
nigricans		-/6	1/-						
nitida		-/6	1/6		PUYA:				
					chilensis		-/3	-/6	3/6
HAWORTHIA:									
arachnoides		-/6	1/6		ROCHEA:				
asperula		1/-	3/-		coccinea		-/6	1/-	5/-
Engleri		1/-	3/-						
Herrei		1/-	3/-		SARCOCAULON:				
limiifolia		1/6	5/-		Burmannii		2/-	6/-	30/-
margaritifera		1/-	3/-		Hèritieri		2/6	8/-	50/-
pseudo-tesselata		1/-	3/-		Marlothi		2/-	6/-	30/-
setata		1/-	3/-		Patersoni		2/-	6/-	30/-
spec. new.		1/-	3/-		rigidum		2/-	6/-	30/-
gemischt/mixed		-/6	1/-						
HEURNIOPSIS:					SARCOPHAGO-				
decipiens		-/6	1/6	5/-	PHYLUS:				
					armatus		3/-	10/-	
HOODIA:					Winklerianus		3/-	10/-	
Gordonii		2/-	6/-						
Juttae		2/-	6/-		SARCOSTEMMA:				
macrantha		1/-	3/6		andongense		2/-	7/6	
simile		5/-	15/-		viminale		2/-	7/6	
Triebneri		5/-	15/-						
HOODIOPSIS:					SENECIO:				
Triebneri		5/-			angulatus		-/6	1/-	
					longiflora		-/6	1/-	5/-
CALANCHOE:					pyramidalatus		/-/6	1/6	
arnea		-/3	-/6	3/-	rhopaladenia		-/6	1/6	
randiflora		-/3	-/6	5/-	scaposus		-/6	1/6	
nidalis		-/3	-/6	3/-	stapeliformis		1/-	3/-	
lifolia		-/3	-/6	4/-	tropaeloidies		1/-	3/-	
ca		-/6	1/-	8/-					
malensis		-/6	1/-	8/-	STAPELIA:				
					Fleckii		1/-	3/-	20/-
YPODIDIUM:					glabricaulis		1/-	3/-	20/-
ganteum		-/9	2/-	18/-	Juttae		1/-	3/-	20/-
					kwebensis		1/-	3/-	20/-
PELARGONIUM:					longepedicellata		1/-	3/-	20/-
alternans		1/-	3/-	20/-	portae-taurinae		1/6	4/-	
spinosa		2/6	5/-	35/-	rufa		1/-	3/6	
squarrosa		2/6	5/-	35/-	Schinzii		-/6	1/6	10/-
xerophytum		3/-	10/-		gemischt/mixed		-/6	1/-	3/-
PENTHARRHINUM:					TAVARESIA:				
insipidum		1/-	3/-		Barklyi		2/-	5/-	
					grandiflora		1/-	3/-	20/-

	S.	25	100	1000		S.	25	100	1000
TRICOCAULON:					CHASMATO-				
cactiforme		1/-	3/-	20/-	PHYLLUM:				
Delaetianum		2/6	8/-		Brandmuelleri		-/6	1/-	3/-
Dinteri		1/6	4/-	25/-	musculinum		-/6	1/-	3/-
Engleri		1/6	4/-	25/-	compacta		-/6	1/-	3/-
keetmanshoopense		1/-	3/-	20/-	repens		-/6	1/-	3/-
Marlothii		1/-	3/-	20/-	CHEIRIDOPSIS:				
meloforme		1/6	4/-	25/-	aurea		1/-	3/-	
pedicellatum		2/-	7/-		bella		1/-	3/-	
WELWITSCHIA:					brachistygma		1/6	5/-	
mirabilis		5/-	10/-		brevipes		1/6	5/-	
Mesembryanthema.					candidissima		1/6	5/-	
ACRODON:					Caroli-Schmidtii		-/6	1/-	8/-
bellidiflora		-/6	1/-	5/-	cigaretifera		1/-	3/-	20/-
ALOINOPSIS:					compressa		1/-	3/-	
rubrolineata		1/-	3/-		crassa		1/-	3/-	
ARGETA:					inaequalis		1/-	1/6	
petrensis		1/-	3/-		Johannes Winkleri		1/-	1/6	
ARGYRODERMA:					multiserrata		1/-	2/-	
Delaetii		1/-	3/-		peculiaris		1/-	1/6	
Jacobsenianum		1/-	3/6		purpurascens		1/6	5/-	
octophyllum		1/-	3/-		Richardiana		1/-	3/-	
Schlechteri		1/-	3/-		serrulata		1/-	3/-	
subalbum		1/-	2/6		turbinata		1/6	5/-	
testiculare		1/-	2/-		CONOPHYTUM:				
Mischung/mixed		1/-	2/-		bilobum		1/-	3/-	
ARIDARIA:					calculus		1/-	3/-	
brevifolia		-/6	1/-		fraternum		1/6	4/-	
noctiflora		-/6	1/-		Hildegardae		2/-	6/-	
BERGERANTHUS:					Meyerae		1/-	2/-	
scapiger		-/6	1/-		Maughanii		1/-	1/6	
vespertinus		-/6	1/-		odoratum		1/6	5/-	
BYLIA:					saxetanum		1/-	3/-	
cana		1/6	4/-		truncatum		1/6	5/-	
CARRUANTHUS:					Mischung/mixed		1/-	2/6	
caninus		-/6	1/6		DACTYLOPSIS:				
CEPHALOPHYLLUM:					digitatus		2/-	6/-	
Alstonii		1/-	3/-		DIDYMAOTUS:				
Dumentum		1/-	3/-		lapidiforme		-/6	1/-	8/-
inexpectatus		1/-	2/-		major		1/-	3/-	
microspermus		1/-	2/-		minor		1/-	3/-	
Pole-Evansii		1/-	2/-		DINTERANTHUS:				
puberulus		1/-	2/-		inexpectatus		1/-	2/-	10/-
					microspermus		1/-	2/-	10/-
					Pole-Evansii		1/-	2/-	10/-
					puberulus		1/-	2/-	10/-

	S.	25	100	1000		S.	25	100	1000
DIPLOSOMA:					IMITARIA:				
retroversum		-/6	1/6		Muiiri		2/-	4/-	30/-
DROSANTHEMUM:					JUTTADINTERIA:				
Hermannii		-/6	1/-		albata		1/-	2/-	10/-
EBRACTEOLA:					buchubergensis		1/-	2/-	10/-
Derenbergii		-/6	1/-	5/-	proxima		1/-	2/6	15/-
montis Moltkei		-/6	1/-	5/-	Simpsonii		1/-	2/-	12/-
vallis paxis		-/6	1/6	8/-	LAPIDARIA:				
spec. Schmoll-					Margaretha		-/6	1/6	10/-
mann		1/-	3/-	10/-	LEIPOLDIA:				
FAUCARIA:					Briteniae		1/-	3/-	25/-
Bosscheana		1/-	3/-		LITHOPS:				
felina var. Jamesii		1/-	3/-		alpina		-/6	1/6	10/-
tigrina		1/-	2/-		Aucampiae		1/-	3/-	20/-
tuberculata		1/-	2/-		bella		-/6	1/6	10/-
GIBBAEUM:					commodium		2/-	7/6	
album		1/-	2/-		Comptonii		1/-	2/-	12/-
angulipes		1/-	2/6	15/-	Dinteri		3/-		
Comptonii		1/-	2/6	15/-	Eberlanzii		2/-	6/-	40/-
geminum		1/6	4/-	20/-	elevata		1/6	3/-	20/-
gibbosum		1/-	2/6	15/-	Elisabethae		1/6	4/-	30/-
Helmeae		1/6	5/-		Erniiana		1/6	4/-	30/-
molle		-/9	2/-	10/-	farinosa		2/-	6/-	
pachypodium		1/6	5/-		Framesii		2/-	6/-	
perviride		1/-	2/-	10/-	Francisci		2/6	8/-	
pilosulum		1/-	2/-	10/-	Fulleri		1/-	2/-	15/-
pubescens		-/9	1/6	8/-	fulviceps		1/-	2/-	15/-
Shandii		2/-	6/-	35/-	Herrei		1/6	4/-	20/-
velutinum		1/-	3/-	20/-	Helmuti		2/-	6/-	
Mischung/mixed		1/-	2/-	8/-	inornata		3/-	10/-	
GLOTTIPHYLLUM:					Julii		1/-	2/6	15/-
linguiforme		-/6	1/6	10/-	karasmontana		-/6	2/-	10/-
longum		-/6	1/-	8/-	kuibensis		1/-	2/6	15/-
Lehmannii		1/-	3/-	15/-	kunjasensis		1/-	2/-	10/-
Schoenlandii		1/-	3/-	12/-	lactea		1/-	3/-	25/-
HEREROA:					lateritia		1/-	3/-	25/-
angustifolia		-/6	1/6	5/-	Lericheana		1/6	4/-	30/-
Dyeri		-/6	1/-	5/-	Lesliei		-/6	1/6	4/-
fimbriata		-/6	1/6	8/-	Lydiae		2/-	6/-	40/-
gracilis		-/6	1/6	8/-	Marthae		2/-	6/-	
granulata		-/6	1/-	5/-	Meyeri		1/-	2/-	15/-
Herrei		-/6	1/6	8/-	mickbergensis		1/-	2/-	10/-
karrasmontana		-/6	1/6	8/-	olivacea		1/-	2/-	12/-
Puttkameriana		-/6	1/-	5/-	opalina		-/6	1/-	8/-
,, var. glabrior		-/6	1/6	8/-	optica		-/9	1/6	10/-
flore albo		2/-	6/-		Peersii		-/6	1/6	10/-
Mischung/mixed		-/6	1/-	3/-	pseudotruncatella		-/3	-/6	2/-

	S.	25	100	1000		S.	25	100	1000
pseudotruncatella		-/3	-/6	2/-	OPHTHAL-				
„ var. Mundtii		-/6	1/-	3/-	MOPHYLLUM:				
„ „ pulmonan-					Friedrichae	-/9	2/6	20/-	
cula		-/6	1/-	3/-	Forsteri	1/-	3/-	25/-	
rugosa		-/9	2/-	15/-	Herrei	1/-	3/-	25/-	
Ruschiorum		-/9	2/-	12/-	Pillansi	1/-	3/-	25/-	
Schlechteri		1/-	3/-		Schlechteri	1/6	5/-	30/-	
Schwantesii		1/-	3/-	20/-	Schuldtii	1/6	5/-	35/-	
summitata		-/6	1/-	8/-	Triebneri	2/-	6/-	40/-	
terricolor		2/-	6/-	30/-	OSCULARIA:				
translucens		1/-	3/-	20/-	caulescens	-/6	1/6	8/-	
Triebneri		1/-	3/-	20/-	PEERSIA:				
turbiniforme		1/-	2/6	15/-	Frithii	1/-	3/-		
umdausensis		1/-	3/-	20/-	PRENIA:				
urikosensis		1/-	3/-	20/-	pellans	1/-	3/-		
vallis Mariae		-/9	1/6	10/-	PLEIOSPILUS:				
van Zyliei		1/-	3/-	25/-	Bolusii	-/6	1/6	10/-	
Mischung/mixed		-/3	1/-	4/-	„ flore rubra	2/-	6/-		
MENTHOCALYX:					Archerii	1/-	2/-	8/-	
velutina		1/-	3/-	20/-	Hilmarii	1/-	2/-	10/-	
MESEMBRY-					magnipunctata	-/9	1/6	8/-	
ANTHEMUM:					minor	1/-	3/-		
blandum		-/6	1/6	10/-	Nelii	1/-	2/-	10/-	
pachyphyllum		1/-	3/-		optata	2/-	6/-		
rubrifolium		1/-	3/-		Roodiae	-/6	1/6	5/-	
MEYEROPHYTUM:					simulans	-/6	1/-	8/-	
Meyeri		2/-	7/6		Willowmorensis	1/-	3/-		
MONILARIA:					PSAMMOPHORA:				
moniliformis		2/-	6/-		longifolia	2/-	6/-		
NANANTHUS:					Pillansi	2/-	6/-		
aloides		3/-	10/-	{	RHINEPHYLLUM:				
albinotus		-/6	1/6		Comptonii	3/-	10/-		
Lesliei		2/-	6/-		Muirii	3/-	10/-		
Peersii		3/-	10/-		RHOMBOPHYLLUM:				
Pole-Evansii		3/-	10/-		dolabiforme	-/6	1/-	5/-	
NELIA:					Nelii	-/6	1/-	5/-	
Meyeri		1/-	3/-		rhomboideum	-/6	1/-	5/-	
ODONTOPHORUS:					RIMARIA:				
Marlothii		1/-	3/-		Comptonii	-/9	2/6	16/-	
nanus		1/-	3/-		Heathi	-/6	1/6	10/-	
OOPHYTUM:					„ var. magna	1/-	3/-	20/-	
nanum		2/6	8/-		Lueckhoffii	1/-	3/-	20/-	
oviforme		3/-	10/-		Primosii	2/6	8/-		
					Roodiae	1/-	2/6	18/-	

**Windhoeker
Samenhandlung**

Windhock Seed Store

Wilhelm Triebner
Windhoek, P. O. Box 539



Price-list

U.S.A.

Mr.

DAVID GRIFFITHS

Senior Horticulturist

Buero of Plant Industry

WASHINGTON D.C.

U. S.A.



	S.	25	100	1000		S.	25	100	1000
RUSCHIA:					TRICHOCYCLUS:				
<i>axthelmiana</i>		-/6	1/-	6/-	<i>ciliatus</i>		2/-	7/6	
<i>acuminata</i>		-/6	1/-	6/-					
<i>Archeri</i>		1/6	3/6	15/-	VERRUCIFERA:				
<i>crassa</i>		1/-	2/6	12/-	<i>Hugonis-</i>				
<i>hamata</i>		-/6	1/6	8/-	<i>Schlechteri</i>		1/6	5/-	30/-
<i>Herrei</i>		1/-	3/-	10/-	<i>Schwantesii</i>		-/9	2/-	8/-
<i>hexamera</i> var.					<i>Luederitzii</i>		1/6	5/-	30/-
<i>longipetata</i>		1/-	3/-	15/-					
<i>evoluta</i>		3/6	10/-						
<i>fenestrata</i>		3/6	10/-		BUPHANE				
<i>hesperantha</i>		-/6	1/-	3/-	<i>disticha</i>			5/-	
<i>namaquense</i>		-/6	1/6	8/-					
<i>muricata</i>		-/6	1/6	8/-	CRINUM:				
<i>pseudorupicola</i>		-/6	1/-	5/-	<i>Caroli-Schmidtii</i>		3/-	24/-	150/-
<i>rupicola</i>		-/6	1/-	5/-	<i>leucophyllum</i>		1/6	15/-	80/-
<i>Steingroeveri</i>		1/-	5/-	25/-	<i>longiflora</i>		1/6	15/-	75/-
<i>tumidula</i>		1/-	3/-	20/-	<i>roseum</i>		1/6	15/-	75/-
<i>uncinata</i>		1/-	3/-	20/-					
<i>uncinella</i>		1/-	3/-	15/-	CHAPMANOLIRION:				
<i>vulvaria</i>		-/6	1/6	8/-	<i>Juttae</i>		-/6	4/-	20/-
SCHWANTESIA:									
<i>Ruedebuschii</i>		-/6	1/6	12/-	CHORTILIRION:				
STOMATIUM:					<i>Chapmannae</i>		2/6	24/-	
<i>alboroseum</i>		1/6	4/6	30/-					
<i>Fullerii</i>		-/6	1/6	12/-	GLORIOSA:				
<i>Jamesii</i>		-/6	1/6	10/-	<i>virescens</i>		2/6	24/-	
<i>miranum</i>		-/6	1/-	8/-					
<i>mustellinum</i>		-/6	1/-	8/-	GALTONIA:				
TITANOPSIS:					<i>pseudogaltonia</i>		1/-	8/-	40/-
<i>calcarea</i>		-/6	1/6	10/-					
,, spec.		1/-	3/-	20/-	HAEMANTHUS:				
<i>Lueckhoffii</i>		2/-	7/6		<i>otaviense</i>		2/6	24/-	
<i>Primosii</i>		1/6	5/-		<i>splendens</i>		2/6	24/-	
<i>setifera</i>		1/6	5/-						
TRICHODIADEMA:					HYPOXIS:				
<i>densum</i>		1/-	3/-		<i>obtusa</i>		1/-	8/-	50/-
<i>olivacea</i>		1/-	3/-		<i>Dinteri</i>		1/6	12/-	
<i>stelligerum</i>		1/-	3/-						
					NERINE:				
					<i>lucida</i>		1/6	12/-	
					ORNITHOGLOSSUM:				
					<i>glaucum</i>		1/-	8/-	

Sämtliche Succulenten-Samen sind von Kulturpflanzen geerntet.

All seeds of succulents are harvested from cultivated plants.

Zahlungsbedingungen: Kasse mit Auftrag. Checks aus dem Auslande zuzüglich Bankspesen.

Terms: Cash with order or C.O.D.

